

We offer the best safety for hand protection



## • HEAD OFFICE & FACTORY

47-24 Yulli-gil, Sangbuk-myun, Yangsan-city, Gyeongsangnam-do, KOREA(zip code: 626-856) TEL: 82-51-905-2330~1

FAX: 82-51-905-2332 MP: +82-10-3856-3793







## **PICTOGRAMMES**

(GLOVE CHARACTERISTIC SYMBOLS)











STATIC DISSIPATIVE CHEMICAL RESISTANT HEAT RESISTANT

# ■ Resistance to various chemicals

	HPPE YARN	Aramid
distilled water	* * *	***
sea water	***	***
10% detergent	* * *	***
hydrochloric acid (pH=0)	***	*
nitric acid (pH=1)	* * *	*
glacial acetic acid	* * *	***
ammonium hydroxide	* * *	**
sodium hydroxide(pH>14)	**	*
petrol	* * *	***
kerosene	* * *	***
toluene	* * *	**
trichloromethane	* * *	* * *

#### ★★★:unaffected, ★★:slightly affected, ★:seriously affected

# Free breaking length

The free breaking length(km) is the theoretical length at which a rope breaks under its own weight
















# CUT RESISTANT LEVEL 1 GLOVES







NXW5-PNTW

NXW5-PNPW

SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

NXW5-XXXX

- The stretchy dust-free & soft fabric 15gauge knitted with 100% Nylon filament yarns, you feel sensitive and elastic when you are wearing these gloves.
- Especially good for assembling process of the light electronics, the precision work, the inspection of medicine, food products, the labs and so on.







NXG5-PNTG

NXG5-PNPG

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

- The stretchy dust-free & soft fabric 15gauge knitted with 100% grey nylon filament yarns, you feel sensitive and elastic when you are wearing
- Especially good for assembling process of the light electronics, the precision work, the inspection of medicine, food products, the labs and so on.

# ANTISTATIC GLOVES







OXX5-XXXX

OXX5-PNTW

OXX5-PNPW

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

- The dust-free fabric 15 gauge knitted with yarms containing nylon and copper for the purpose of eliminating static electricity, these gloves have an anti-sweat function and help to protect human body and the products from static electricity.
- Especially good for assembling semiconductors, the micro-process work, mobile phones, electronics.











## NXR6-NNPB

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

- Nylon double knitted Nitrile coated gloves.
- Excellent Abrasion Resistance.
- Nitrile coating prevents Oil from penetrating through the gloves, proteching hands from skin irritation
- Non Slip.
- Totally Free from Toxic Solvents and Heavy Metal. NO HAZARDOUS SOLVENTS used in the production of Nitrile Gloves.
- Application Wiring operations Light assembly Small parts handling using tools and instruments Inspection area Building & Construction Area Mechanical Assembly

# CUT RESISTANT LEVEL 3 GLOVES



## ENB7-PNPB

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

- Lightweigh 13 gauge HPPE YARN knitted with nylon and PU palm coated combination gloves. Offers good comfort and ambidextrous fitness against cuts and abrasion.
- Ideal for handling the sharp edges of metal, ceramics, glass and other material.
- This gloves provides light duty cut protection.







#### ENW7-PNPB

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

- Flexible 13 gauge HPPE YARN knitted and polyurethane palm coated gloves.
- Offers excellent cut resistance and dexterity for industrial applications.
- Ideal for glass handling, recycling, sheet metal work, cutting application.
- Silicone-free PU coating offers good ventilation, abrasion and sensitivity.
- HPPE YARN is 10 times stronger than steel and 40% stronger than aramids.





**EDK** 05 04 **EDK** 

# CUT RESISTANT LEVEL 3 GLOVES







#### ENW7-NFPG

#### SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL Features & Benefits

 Super light Micro-Foam Coating Technology Micro-Foam Nitrile coating channels away Oil from the surface of the gloves, providing a sure grip in light oil applications. The unique in breathable Micro-Foam Nitrile coated gloves is very comfortable to wear, Micro-Foam Nitrile coating keeps hands dry and gives excellent dexterity, sensitivity and tactility

Super Cutting Resistance more than you can imagine

HPPE YARN is great cutting resistance and will protect you from primary cut at your work area

Totally Free from Toxic Solvents and Heavy Metal

NO HAZARDOUS SOLVENTS used in the production of Foam Nitrile Gloves

Lint, Heavy Metal

Application

Wiring operations

Heavy industrial work where cutting resistance is essential, especially where oil is present Building & Construction Area Mechanical Assembly Glass Handling Area Car industries

# CUT RESISTANT LEVEL 5 GLOVES



#### EGG7-PNPG

SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL Features & Benefits

Excellent Abrasion Resistance

Newly developed Cut Resistance Level 5 (EN 388 standard) gloves has no comparable cutting resistance with anything else. Unique combination of HPPE YARN, Nylon with Glassfiber yarn gives high cut resistance level 5, very high dexterity and abrasion resistance It will protect you from primary cut at your work area

Application

Light to heavy industrial work where high cutting resistance is essential Building & Construction Aera Mechanical Assembly Glass Handling Area Car industries

# 18G THIN HPPE YARN GLOVES



#### EGG8-PNPG

## 18G thin grey pu palm coating gloves

- Lightweight High cut resistant Excellent cut resistance and dexterity
- Good comfort and ambidextrous fitness against cuts and abrasion
- Applicable to FTA(Duty Free): CANADA

• Automotive • Assembly • Small parts handling • Electronics • Gardening

• Coating: PU, foam nitrile sandy finish

• CLASSIFICATION: EN 388 CUT 3. CUT 5(4543) ANSI CUT 2. 4

• LINER: HPPE YARN

• COATING : Foam Nitrile, PU

• PACKAGING: PAIRS PER PACK/BOX 10/200

• SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# 18G THIN KEVLAR GLOVES



#### KXY8-NFPB

18G Thin yellow kevlar black foam nitrile palm coating gloves

#### Features

- 18G Seamless liner made from Kevlar® fiber
- Lightweight
- · High cut resistant
- · Foam Nitrile coating for good grip
- High Dexterity and Flexibility
  - Applicable to FTA(Duty free) - USA, CANADA

#### Industries

Automotive
 Assembly
 Small parts handling
 Electronics

• CLASSIFICATION: EN 388 CUT 3(4342), CUT 5(3542) ANSI CUT 2, 4

• LINER : KEVLAR

COATING: Foam Nitrile

• PACKAGING: PAIRS PER PACK/BOX 10/200

SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

06 **EDK EDK** 07

# SEWING TPR GLOVES



# KGB2-NFFB-TPR

Sewing TPR on the back of the hand (Velcro cuffs available)

- Thermoplastic Rubber(TPR) pads on the knuckles, fingers, and back of hand, offering
- · Velcro cuff provides a secure fit
- · Oil & Cut Resistant
- Flame retardant heat resistant against indirect 200°C

#### Industries

- Automobile
   Cutting application
   Heavy duty impact
   Mechanical workshop
- CLASSIFICATION: EN 388 CUT 3, CUT 5 (4543) ANSI CUT 1, 2, 4
- LINER : KEVLAR
- COATING : Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/100
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# ROLL PACKING GLOVES



## ALL of gloves will be packed same way as request of customer

#### Features

- · Special packing for vending machine
- Industries
- Automotive
   Assembly
   Small parts handling
   Electronics
   Gardening



- CLASSIFICATION: EN 388 CUT 1, 3, 5 ANSI CUT 1, 2, 4
- LINER : ALL
- COATING : ALL
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# DSM DYNEEMA 13G12 GLOVES



08 **EDK** 



# DNS8-PNPG

13G12 220dtex yarn EN cut 3, 18G 13G12 440dtex yarn EN cut 4, 13G 13G12 660dtex yarn EN cut 5, 13G

#### Features

- · Made with DSM Dyneema Diamond technology yarn
- Provide excellent comfortable hand protection
- · Bare hand like dexterity for high tactility
- · Soft, to keep hands cool and dry
- Applicable to FTA(Duty free)
- EU, CANADA

- Automotive
   Assembly
   Small parts handling
   Electronics
- CLASSIFICATION: EN 388 CUT 3, 4, 5 ANSI CUT 2, 3, 4
- LINER: DSM DYNEEMA 13G12
- COATING : Foam Nitrile, PU
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

DSM Dyneema recognizes EDK Co., Ltd. for being an innovative and top-quality

minded partner-pursuing technical excellence within a broad product portfolio

# KEVLAR LEVEL 5 GLOVES

## KGY3-NFPB

Kevlar black foam nitrile palm coating gloves

#### Features

- Machine knitted liner made from Kevlar® fiber
- High tensile strength relative to its weight
- Cut resistance and Heat resistance against indirect 200°C
- Superior comfort, Dexterity and Flexibility
- A secure grip in wet, oily and dry environments
- Applicable to FTA(Duty free)
- USA, EU, CANADA

#### Industries

- Oil refining Petrochemical industries etc
- CLASSIFICATION : EN 388 CUT 5 ANSI CUT 4
- LINER : KEVLAR
- COATING : Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

**EDK** 09

# REINFORCED GLOVES



# ENG7-PNPG-RE

## Reinforcement between thumb and index finger

- · Reinforcement of thumb and forefinger with overlock, improves cut resistance and
- · Designed and developed as a reinforcement cut resistant gloves
- Applicable to FTA(Duty free)
- DSM yarn : USA, EU
- ALL yarn : CANADA

#### Industries

- Metal stamping, Glass sheet
   Handing metal sheets
- Handing cables
   Sharp-edged sheets, cutting corrugated sheets
- CLASSIFICATION: EN 388 CUT 3, 5 ANSI CUT 2, 4
- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : PU
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# **CUTTABLE GLOVES**



#### EGGB-NFPB

### Black foam nitrile palm coating gloves with 5 cuttable finger

#### Features

- Good protection against cutting fingers when pressed by heavy tools
- · Breathable back of hand to enhance comfort
- Excellent grip in wet, oily and dry conditions
- Applicable to FTA(Duty free)
- DSM yarn : USA, EU
  - ALL yarn : CANADA

#### Industries

- Suitable for milling factory
   Auto factory
- · CLASSIFICATION: EN 388 CUT 3, CUT 5(4543) ANSI CUT 2, 4
- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# **BLENDING PUD GLOVES**



#### ENF2-GFPG

#### DMF Free+oil Free gloves

- Hi-viz seamless knitted gloves PUD/NBR blending coating
- · Water and oil resistant on both liner and coating · Comfortable to wear
- Good abrasion, blade cut resistance Silicone-free/DMF-free
- Applicable to FTA(Duty free)
- DSM yarn : USA, EU
  - ALL yarn : CANADA

#### Industries

- Mechanical industries
   Handling of sharp components
- CLASSIFICATION: EN 388 CUT 3, 5 ANSI CUT 2(578 grams), CUT 4
- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : BLENDING
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# TRANSPARENCY PUD COATING GLOVES











## ENF2-DNPT

#### Transparency pud palm coating gloves

#### Features

- Environmentally friendly water based PU
- Reduced significantly product defects caused by fingerprint
- No hazardous solvents used in the production of Water-borne PU gloves
- · Silicone free. DMF-free
- Applicable to FTA(Duty free)
- DSM yarn : USA, EU
- ALL yarn : CANADA

#### Industries

- Food processing
   Gardening
- Mechanical industries
   Automotive industries
- CLASSIFICATION: EN 388 CUT 3(4344), CUT 5 ANSI CUT 2(515 grams), CUT 4
- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : PUD
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

**EDK** 11 10 **EDK** 

# CRINKLE LATEX GLOVES





## **ENG7-LRPE**

# Green crinkle latex palm coating gloves

#### Features

- · High dexterity and elasticity
- Enhanced Grip Better Durability
- Retains flexibility without reducing high protection levels
  Withstands extreme temperature and tear resistance
- Willistands extreme temperature and teamesistance

#### Industries

- Glass handling Steel sheet handling Construction
- Automotive Manufacturing General maintenance
- CLASSIFICATION: EN 388 CUT 3 (4343), CUT 5 (4543)

ANSI CUT 2 (673.32 grams), CUT 4 (1,279.01 grams)

- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING: LATEX
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# SANDY FINISH DOUBLE DIPPED GLOVES









#### EGG7-CDCB

#### Knuckle sandy foam nitrile palm double dipped gloves

#### Features

- Allow precision work to be carried out even in the most demanding condition
- 1st Nitrile coating offers protection against a wide range of chemicals
- 2nd Sandy Nitrile overdip in the palm area ensure excellent grip-making it perfect for oily mechanical and elastic knit wrist holds it firmly on your arm
- Applicable to FTA(Duty free)
- DSM yarn : USA, EU
- ALL yarn : CANADA

#### Industries

- Mechanical Automotive
- Handling Oily objectsLandscaping
- CLASSIFICATION: EN 388 CUT 3 (4342), CUT 5 ANSI CUT 2, 4
- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : NITRILE
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# WINTER GLOVES









#### AGY1-NFPB

# Winter liner with sandy foam nitrile palm coating gloves

#### Features

- · Warm, flexible
- Used 10G new curl knitting machine
- · Have cut protection in a comfortable
- Stretchy and form fitting design offers a high level of comfort and fit
- Foam nitrile offers exceptional abrasion resistance, wet and dry grip
- · Applicable to FTA (Duty Free): USA, EU, CANADA
- Korean hppe yarn : USA, EU, CANADA
- Kevlar : USA, CANADA
- Twaron : EU, CANADA
- Industries
- Cold storage facilities
- Material handling
- Bottling industries
- CLASSIFICATION: EN 388 CUT 1, 3, 5 ANSI CUT 2, 4
- LINER: TWARON, KEVLAR, KOREAN HPPE YARN
- COATING : Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/100
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# TOUCH GLOVES

# To the second se

#### NHF5-NFPB

## Touch liner black foam nitrile palm coating gloves

#### Features

- · Allow to use of touch screen devices without removing the gloves from hand
- Use with touch screen devices
- · Foam nitrile dip provides protection in wet or dry conditions
- Comfort to wear
- Applicable to FTA (Duty Free)
  - DSM yarn, Nylon : USA, EU, CANADA
  - ALL yarn : CANADA

#### Industrie

- Assembly
   Aircraft assembly
- Electronic component handling Shipping
- CLASSIFICATION: EN 388 CUT 3(4343), CUT 5(4544) ANSI CUT 2, 4
- LINER: HPPEYARN, DSM UHMWPEYARN
- COATING : Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

12 **EDK EDK** 13

# 18G LIGHT WEIGHT GLOVES





#### NXL8-PNPB

## 18G blue nylon black pu palm coating gloves

- Seamless light weight 18gauge nylon
- Easy on sensitive operations
- · Fits hands kike a second skin
- Applicable to FTA (Duty Free)
- USA, EU, CANADA

#### Industries

- Assembly of dry parts and light
   Wiring operation
- Handling and mounting of small parts
   Mechanical applications
- CLASSIFICATION: EN 388 CUT 1(3121)
- LINER: NYLON
- COATING : Foam Nitrile, PU
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# **CUT RESISTANT SLEEVE AND GLOVES**



### EGFS-45CM

# Sleeves

#### Features

- Protective sleeves keep arms and wrists from damaging cuts, puncture and abrasion in a variety of industries
- Comfortable and protective
- The seamless knitted liner avoids skin irritation and is elasticated for extra



#### Protection

- Machine washable
- Optional thumbholes
- Applicable to FTA (Duty Free)
- DSM yarn : USA, EU
- ALL yarn : CANADA

#### Industries

• Glass handling • Automotive glass • Metal and Food handling



- LINER: HPPE YARN, DSM UHMWPE YARN
- COATING : PUD, Foam Nitrile
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# NEOPRENE COATING GLOVES



#### KGB2-ONPB

## Kevlar neoprene palm coating gloves

- Machine knitted liner made from Kevlar® fiber
- Provides better all-around resistance to chemicals than most other glove coating
- For working in damp or greasy environments
- Applicable to FTA(Duty Free)
- USA, EU, CANADA

#### Industries

- · Automotive · Oil-based · Maintenance
- CLASSIFICATION: EN 388 CUT 3. CUT 5(3543) ANSI CUT 2. 4
- LINER : KEVLAR
- COATING : Neoprene
- PACKAGING: PAIRS PER PACK/BOX 10/200
- SIZE: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL

# **WOVEN FABRIC**



# Cut resistant woven fabric

EGG7-FABRIC

- The Woven Fabric is made from HPPE YARN by special technology
- Kevlar fabric has high strength and thermal stability
- Tear, Abrasion, Cut resistance knit fabric
- Smooth fabric surface
- · Applicable to FTA (Duty Free)
- DSM yarn : USA, EU
- ALL yarn : CANADA

#### Industries

- To be used various item like sleeve, clothes and liner for cut and sewing gloves
- CLASSIFICATION: EN 388 CUT 5 ANSI CUT 4
- LINER : HPPE YARN, KEVLAR
- COATING : NONE
- PACKAGING: 100Meter/Roll
- SIZE: Width: 1,5 meter / Weight: 570g/m<sup>2</sup>

**EDK** 15 14 **EDK**